

Wireline Drawing Showing Cumulative Sites - Proposed Novar Turbines Shown In Red

Figure: 6.19a
CH Viewpoint 11: Easter Baldoon, chambered cairn 190m NNE of (SM4753)


Novar Wind Farm Repowering Environmental Impact Assessment Report


RAMBOLL


Wind Farm Status
Turbine Colour Key



OS reference:	263313 875905	Horizontal field of view:	(90˚ cylindrical projection)	Camera:	Nikon Z6
Eye Level:	285m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon Z AF 50mm f/1.8)
Direction of view:	248˚			Camera height:	1.5m AGL
Distance to Development:	8.30km			Date and time:	20/12/2025 10:09









OS reference:	263313 875905	Horizontal field of view:	(90˚ cylindrical projection)	Camera:	Nikon Z6
Eye Level:	285m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon Z AF 50mm f/1.8)
Direction of view:	338˚			Camera height:	1.5m AGL
Distance to Development:	8.30km			Date and time:	20/12/2025 10:09




Wind Farm Status
Turbine Colour Key

RAMBOLL

Figure: 6.19b
CH Viewpoint 11: Easter Baldoon, chambered cairn 190m NNE of (SM4753)

Novar Wind Farm Repowering Environmental Impact Assessment Report





Wireline Drawing Showing Cumulative Sites

Figure: 6.19c
CH Viewpoint 11: Easter Baldoon, chambered cairn 190m NNE of (SM4753)


Novar Wind Farm Repowering Environmental Impact Assessment Report


RAMBOLL


Wind Farm Status
Turbine Colour Key


Operational Consented Application Scoping

OS reference:	263313 875905	Horizontal field of view:	(90˚ cylindrical projection)	Camera:	Nikon Z6
Eye Level:	285m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon Z AF 50mm f/1.8)
Direction of view:	68˚			Camera height:	1.5m AGL
Distance to Development:	8.30km			Date and time:	20/12/2025 10:09









OS reference:	263313 875905	Horizontal field of view:	(90˚ cylindrical projection)	Camera:	Nikon Z6
Eye Level:	285m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon Z AF 50mm f/1.8)
Direction of view:	158˚			Camera height:	1.5m AGL
Distance to Development:	8.30km			Date and time:	20/12/2025 10:09

Operational Consented Application Scoping


Wind Farm Status
Turbine Colour Key

RAMBOLL

Figure: 6.19d

CH Viewpoint 11: Easter Baldoon, chambered cairn 190m NNE of (SM4753)

Novar Wind Farm Repowering Environmental Impact Assessment Report



Wireline

View flat at a comfortable arm's length

Figure: 6.19e
CH Viewpoint 11: Easter Baldoon, chambered cairn 190m NNE of (SM4753)

Novar Wind Farm Repowering Environmental Impact Assessment Report

RAMBOLL

OS reference:	263313 875905	Horizontal field of view:	53.5° (planar projection)
Eye Level:	285m AOD	Principal distance:	812.5mm
Direction of view:	247°	Paper size:	841 x 297 mm
Distance to Development:	8.30km	Correct printed image size:	820 x 260 mm



OS reference:	263313 875905	Horizontal field of view:	53.5° (planar projection)	Camera:	Nikon Z6
Eye Level:	285m AOD	Principal distance:	812.5mm	Lens:	50mm (Nikon Z AF 50mm f/1.8)
Direction of view:	247°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	8.30km	Correct printed image size:	820 x 260 mm	Date and time:	20/12/2025 10:09

RAMBOLL

Figure: 6.19f

CH Viewpoint 11: Easter Baldoon, chambered cairn 190m NNE of (SM4753)

Novar Wind Farm Repowering Environmental Impact Assessment Report